

PRODUCT DATA SHEET

VERSION 1



UKT-32 Full Height Turnstile

The UKT-32 is a twin full height powder coated steel turnstile that can be supplied either with mechanical (non-powered assisted) or motorised operation. All our range come with three rota position - 120° size only. This wider design allows users to enter carrying small items like pack packs while still providing secure access.

LED displays have been fitted into the lid directly above the walkways to show passage authorization. An active passage width of 585mm makes this product suitable for a wide range of environments where single or multiple lane access is required.

In the event of a fire alarm both mechanical & motorised units can be configured to free rotate.

KEY PRODUCT FEATURES:

- Mechanical (non-powered assisted) or motorised operation
- 120° rota position (3 rotas)
- Single or bi-directional passage
- Powder coated steel housing & rotas
- LED authorisation indicator
- Passage width 585mm
- Push-button remote-control panel included
- Compatible with all types of electronic access control systems

TECHNICAL SPECIFICATIONS:

DESCRIPTION	VALUE	UNIT OF MEASUREMENT
Dimensions	2290mm x 2062mm x 1380mm	H x W x D
Weight	400	KG
Passage Width	585	mm
Throughput	20-40	Persons / min
Electrical Input	230	V

PRODUCT DATA SHEET | UKT-32 FULL HEIGHT TURNSTILE

ADDITIONAL OPTIONS:

- This unit has additional access control mounting points if required.

Powder Coated

Galvanised

Galvanised & Powder Coated

Stainless Steel 304 & 316



DRAWINGS:

