PRODUCT DATA SHEET

VERSION 1





UKT-40
Full Height
Turnstile

PRODUCT DATA SHEET | UKT-40 FULL HEIGHT TURNSTILE

The UKT-40 is a single slimline full-height turnstile. We can have our UKT-40 range delivered to site flat packed or preassembled, allowing for a rapid installation time on to a flat level base.

Our units come with a 120° three rota position configuration (4 rota 90° also available). This wider design allows users to enter carrying small items like backpacks while still providing a high level of secure access.

Optional canopy heads can be fitted directly above the walkways, alongside optional access control reader mounting plates to cater for all types of third-party systems.

You can use the turnstile mechanically or powered, making this product suitable for a wide range of environments. In the event of a fire alarm the units can be configured to freely rotate.

Multiple finishes available, including powder coated only (for internal use), galvanized only, galvanized & powder coated, stainless steel 304 & stainless steel 316.

KEY PRODUCT FEATURES:

- Mechanical (non-powered assisted) or motorised operation
- 120° rota position (3 rotas)
- Single or bi-directional passage
- Powder coated steel housing & rotas
- LED authorisation indicator
- Passage width 670mm
- Push-button remote-control panel included
- Compatible with all types of electronic access control systems

TECHNICAL SPECIFICATIONS:

DESCRIPTION	VALUE	UNIT OF MEASUREMENT
Dimensions	2125mm x 1400mm x 1180mm	HxWxD
Weight	232	KG
Passage Width	670	mm
Throughput	20-40	Persons / min
Electrical Input	230	V

ADDITIONAL OPTIONS:

This unit has additional access control mounting points if required.

Powder Coated	Galvanised	Galvanised & Powder Coated	Stainless Steel 304 & 316

DRAWINGS:

